



Mercury 65 HP Jet FourStroke

POA

Specifications

Boat Details

| | | | |
|------------|----------------------|--------------|----------------------------|
| Price | POA | Boat Brand | Mercury |
| Model | 65 HP Jet FourStroke | Length | 0.00 |
| Year | 2020 | Category | Boat Engines and Outboards |
| Hull Style | | Hull Type | |
| Power Type | | Stock Number | 0 |
| Condition | New | State | Queensland |
| Suburb | BUNGALOW | Engine Make | Mercury |

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

Mercury 65 HP Fourstroke Jet -Mercury jet-drive outboards are specifically designed to pilot boats in shallow waters where propeller-driven hulls are unable to operate. Because there's no lower unit extending below the hull, the jet drive permits passage over obstacles that would restrict access to a propeller-driven outboard boat.

HP / kW

- 65 / 48

Engine type

- 8-valve single overhead cam (SOHC)
- Inline 4

Displacement (L)

- 2.1

Full throttle RPM

- 5000-6000

Air induction

- Performance-Tuned Scroll Intake Manifold

Fuel induction system

- Computer Controlled Multi-Port Electronic Fuel Injection (EFI)

Alternator amp / Watt

- 35 amp / 441 watt with water-cooled voltage regulator

Recommended fuel

- Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum

Recommended oil

- Mercury FourStroke Oil 10W-30

Engine protection operator warning system

- SmartCraft Engine Guardian

Compatible with SmartCraft digital technology

- Yes

Starting

- Smart Start Electric

Controls

- Mechanical throttle & shift

Steering

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

- Big Tiller
- Dual Cable Mechanical
- Hydraulic

Shaft length

- 20" / 508 mm

Gearcase ratio

- 1.00:1

Dry weight *Lightest model available

- 378 lbs / 171 kg

Emissions Star Rating

- 3

Bore and stroke

- 3.5 x 3.2" / 90 x 81 mm

Ignition

- SmartCraft ECM 70 Digital Inductive

Fuel system

- Electronic Fuel Injection (EFI)

Cooling system

- Water-cooled with thermostat

Gear shift

- F-N-R

Gearcase options

- Jet Drive

Trim system

- Power Tilt
- Power Trim

Exhaust system

- Through jet

Shallow water trim range (degrees)

- 20

Color

- Phantom Black

Lubrication system

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

• Integrated Dry Sump

Oil Capacity

- 5.5 qts / 5.2 l

Maximum Trim Range

- 22° (-6° to 16°)

Maximum Tilt Range

- 70° (-6° to 64°)
-

Features

| | |
|------------------|----|
| Horse Power (hp) | 65 |
|------------------|----|

Engine Details

| | |
|-------------|---------|
| Engine Make | Mercury |
| Horse Power | 65 |

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.