

Phone: 07 4033 8800

Email: sales@aussiemarine.com.au

Website:

5 Hannam St, Bungalow QLD 4870



Mercury Diesel Inline 2.0

POA

Specifications

Boat Details

Price POA **Boat Brand** Mercury Inline 2.0 (Diesel) Model Length 0.00

Boat Engines and Outboards Year 2020 Category

Engine Make

Hull Style **Hull Type**

BUNGALOW

Stock Number

Mercury

Power Type Condition State Queensland New

Disclaimer

Suburb

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 07 4033 8800

Email: sales@aussiemarine.com.au

Website:

5 Hannam St, Bungalow QLD 4870

Description

Mercury Diesel Inline 2.0 - Mercury Diesel Inline common rail or electronic injection fuel systems provide increased power-to-weight ratios, cleaner starts and less noise for a superior boating experience. The Inline range of engines are built lightweight, compact and provide increased power for impressive acceleration, throttle response and quicker planing times. Inline engines are compatible with SmartCraft electronics, SeaCore corrosion protection, Axius joystick control systems and Mercury's effortless Digital Throttle & Shift systems. Engine Overview

- Quiet, smooth performance and enhanced sociability produced from the proven High-Pressure Common-Rail fuel system
- Impressive acceleration and precise throttle response is another product of the fuel system on this four valve electronic engine
- Enhanced fuel economy delivered by the full-authority electronic engine control
- Maximise vessel performance and access comprehensive vessel diagnostic information via SmartCraft® electronics Features

Fuel System: Bosch Common-Rail (CRS 2.0); Integrated WIF sensor in secondary fuel filter Lubrication System:Cast aluminium oil pan Electrical System:12 Volt system Coolant System:Sea Water Aftercooled; Heat Exchanger only Emissions:EPA Tier 2, IMO, RCD certified, BSO/SAV

(select ratings)

Available for recreational applications only

Power HP/KW □□□115/84, 130/95, 150/110, 170/124

Full Throttle Range ∏∏3000 - 4000

Displacement ∏∏∏2.0L

Engine Type □□□In Line 4-Cylinder, 4 Stroke Diesel Bore & Stroke □□□83 mm x 92 mm (3.27 in x 3.62 in)

Fuel Requirement □□□Diesel

Aspiration || Turbocharged / Seawater Aftercooled

Fuel Injection System □□□Bosch Common-Rail (CRS 2.0)

Cooling System □□□Seawater Aftercooled; Heat Exchanger

Dimensions (LxWxH) in ∏∏31 x 32.4 x 30

Dimensions (LxWxH) mm □□□786 x 823 x 763

Weight (Dry) (lbs./kg) □□□551/250

Weight w/Alpha Drive (lbs./kg) □□□710/322

Features

Horse Power (hp) 115

Fuel Type Diesel

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 07 4033 8800

Email: sales@aussiemarine.com.au

Website:

5 Hannam St, Bungalow QLD 4870

Engine Details

Engine Make Horse Power Fuel Type Mercury 115 Diesel